

## **EDT Zenon**



Anchor Handling Tug (AHT) - Bollard Pull 28t



ТҮР	E A	NCHOR HANDLING TUG (AHT)
OW	NER SA	ANDSHELL SHIPPING LTD
OPE	RATOR E	OT SHIPMANAGEMENT LTD
BUI	LT 20	004, SCHEEPSWERF GEBROEDERS KOOIMAN B.V., THE NETHERLANDS
FLA	G C	/PRUS
CAL	L SIGN 5	BLV2

SP-CHR-023 EDT Zenon Specifications Sheet Revision 6.0 Issue Date: 07.08.2025 Document Owner: Chartering



# **EDT Zenon**



### Anchor Handling Tug (AHT) - Bollard Pull 28t

GENERAL INFORM		
Classification	DNVGL + 100 A5 Tug + MC AUT	
IMO Number	9315977	
MMSI Number	212541000	
Operation	Worldwide	
Maximum Speed	About 12 knots	
DIMENSIONS		
Gross Tonnage	224	
Net Tonnage	67	
Deadweight	135.4 mt	
Displacement	429.6 mt	
Length Overall	28.16 m	
Breadth Moulded	9.50 m	
Depth to Main Deck	3.10 m	
Draft	2.50 m	
Freeboard Max Draft	0.6 m	
TANK CAPACITIES		
Marine Diesel	112.53 m <sup>3</sup>	
Fresh Water	38.34 m <sup>3</sup>	
Sewage	12.53 m <sup>3</sup>	
Dirty Oil	1.9 m <sup>3</sup>	
Lube Oil	1.9 m <sup>3</sup>	
TOWING EQUIPME	NT	
	22/55 t – 2 drums 700 m + 400 m x 38 mm wire Holding 300 KN / Pull - 220 KN	
Hydraulic Towing Winch	Heavy Duty Anchor Stern Roller - 4500/4000 x 700 x 25 mm	
	Hydraulic Retractable Towing Pins	
Bollard Pull	28 t	
DECK CRANES & A-FRAME		
Deck Area	70 m <sup>2</sup>	
Deck Crane	Hydraulic 140—3S with remote control SWL 10 mt @ 12.25 m	
Deck Cargo Capacity	37 t	
Tugger Winch	SWL - 10 mt, wire : 24 mm x 30 m	
Capstan	5 t max. Line Pull	
Electrical Power on Deck	400V / 230V / 50Hz	

Revision 6.0 Issue Date: 07.08.2025 Document Owner: Chartering

Uncontrolled when printed or not viewed as the controlled online version.



## **EDT Zenon**



#### Anchor Handling Tug (AHT) - Bollard Pull 28t

PROPULSION / MACH	INERY
Main Engines	2 x Cat 3512 B DI-TA SCAC– 1015 kW each
Main Propulsion	2 x Fixed propeller in kort nozzles with line cutters
ВНР	1380 BHP each engine (total 2760 BHP)
Auxiliary Generators	2 x 65 kVa John Deere 1 x 350 kVa Cat 3408 C
Bow Thruster	1 x 160 kW
Water Maker	HEM 25/1400 4.5 m <sup>3</sup> /day
NAVIGATION EQUIPM	ENT
Radars	2 x Furuno Radars – FR-2115 with ARPA and FR-1505 Mk3
Navtex Receiver	1 x JRC NCR-333
Compass	1 x Gyro Raytheon Anshutz Gmbh Digital STD 22 + 1 x Magnetic Compass
Auto Pilot	1 x Radio Holland Seapilot 75
GPS	1 x Furuno GP-90
Echo Sounder	1 x ELAS LAZ 5000
ACCOMMODATION	
Total Accommodation	8 bunks (allowed to carry up to 18 persons)
COMMUNICATIONS	
Primary	IOP
GMDSS	As Per GMDSS A1, A2 and A3

# T: +357 25 899000 chartering@edtoffshore.com

SP-CHR-023 EDT Zenon Specifications Sheet Revision 6.0 Issue Date: 07.08.2025 Document Owner: Chartering

Uncontrolled when printed or not viewed as the controlled online version.

<sup>\*</sup> While EDT strives to make the information on this document as accurate as possible, it makes no claims, promises, or guarantees about the accuracy, completeness, or adequacy of the contents and expressly disclaims liability for errors and omissions.