



# EDT Zenon

Anchor Handling Tug (AHT) - Bollard Pull 28t



Shipmanagement



<b>TYPE</b>	<b>ANCHOR HANDLING TUG (AHT)</b>
<b>OWNER</b>	SANDSHELL SHIPPING LTD
<b>OPERATOR</b>	EDT SHIPMANAGEMENT LTD
<b>BUILT</b>	2004, SCHEEPSWERF GEBROEDERS KOOIMAN B.V., THE NETHERLANDS
<b>FLAG</b>	CYPRUS
<b>CALL SIGN</b>	5BLV2

SP-CHR-023 EDT Zenon Specifications Sheet  
Revision 8.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Zenon

Anchor Handling Tug (AHT) - Bollard Pull 28t



Shipmanagement

## GENERAL INFORMATION

Classification	DNVGL + 100 A5 Tug + MC AUT
IMO Number	9315977
MMSI Number	212541000
Operation	Worldwide
Maximum Speed	About 12 knots

## DIMENSIONS

Gross Tonnage	224
Net Tonnage	67
Deadweight	135.4 mt
Displacement	429.6 mt
Length Overall	28.16 m
Breadth Moulded	9.50 m
Depth to Main Deck	3.10 m
Draft	2.50 m
Freeboard Max Draft	0.6 m

## TANK CAPACITIES

Marine Diesel	112.53 m <sup>3</sup>
Fresh Water	38.34 m <sup>3</sup>
Sewage	12.53 m <sup>3</sup>
Dirty Oil	1.9 m <sup>3</sup>
Lube Oil	1.9 m <sup>3</sup>

## TOWING EQUIPMENT

	22/55 t – 2 drums 700 m + 400 m x 38 mm wire Holding 300 KN / Pull - 220 KN
Hydraulic Towing Winch	Heavy Duty Anchor Stern Roller - 4500/4000 x 700 x 25 mm Hydraulic Retractable Towing Pins
Bollard Pull	28 t

## DECK CRANES & A-FRAME

Deck Area	70 m <sup>2</sup>
Deck Crane	Hydraulic 140—3S with remote control SWL 10 mt @ 12.25 m
Deck Cargo Capacity	37 t
Tugger Winch	SWL - 10 mt, wire : 24 mm x 30 m
Capstan	5 t max. Line Pull
Electrical Power on Deck	400V / 230V / 50Hz

SP-CHR-023 EDT Zenon Specifications Sheet  
Revision 8.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**



# EDT Zenon

Anchor Handling Tug (AHT) - Bollard Pull 28t



Shipmanagement

## PROPULSION / MACHINERY

Main Engines	2 x Cat 3512 B DI-TA SCAC- 1015 kW each
Main Propulsion	2 x Fixed propeller in kort nozzles with line cutters
BHP	1380 BHP each engine (total 2760 BHP)
Auxiliary Generators	2 x 65 kVa John Deere 1 x 350 kVa Cat 3408 C
Bow Thruster	1 x 160 kW
Water Maker	HEM 25/1400 4.5 m <sup>3</sup> /day

## NAVIGATION EQUIPMENT

Radars	2 x JRC Radars - JMA-3340-4 & JMR-5404-X
Navtex Receiver	1 x JRC NCR-333
Compass	1 x Gyro Raytheon Anschutz Gmbh Digital STD 22 + 1 x Magnetic Compass
Auto Pilot	1 x Radio Holland Seapilot 75
GPS	1 x Furuno GP-90
Echo Sounder	1 x ELAS LAZ 5000

## ACCOMMODATION

Total Accommodation	8 bunks (allowed to carry up to 18 persons)
---------------------	---

## COMMUNICATIONS

Primary	Starlink
Secondary	KVH
GMDSS	As Per GMDSS A1, A2 and A3

[chartering@edtoffshore.com](mailto:chartering@edtoffshore.com)

[T: +357 25 899000](tel:+35725899000)

All vessel particulars, specifications, drawings and related information are provided for general reference only and are based on information available at the time of issuance. While reasonable care has been taken, Owners/Managers make no representations or warranties, express or implied, as to the accuracy, completeness or current validity of such information, and expressly disclaim liability for any errors or omissions. The information does not constitute a guarantee of the vessel's present condition or performance. Any reliance is at the Charterer's sole risk, and Charterers are responsible for verifying all particulars prior to fixture.

SP-CHR-023 EDT Zenon Specifications Sheet  
Revision 8.0  
Issue Date: 07.05.2026  
Document Owner: Chartering

**Uncontrolled when printed or not viewed as the controlled online version.**